

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
Physical/ Chemical	
	Budavari S (ed). 1996. The Merk Index: An Encyclopedia of Chemicals, Drugs, and Biologicals, 12th edition, pp 1264.
	Lide, D.R. (ed.). CRC Handbook of Chemistry and Physics. Version 2009. Boca Raton, FL: CRC Press Inc.
	NIOSH (1985) Pocket Guide to Chemical Hazards, NIOSH Publ. No.78-210, National Institute of Occupational Safety and Health, Cincinnati, OH.
	Sax NI and Lewis RJ (eds). 2007. Hawley's Condensed Chemical Dictionary, 11 th Edn. Van Nostrand Reinhold, New York.
	Green, D.W. (ed), 1984. Perry's Chemical Engineers' Handbook, 6th edition.
	Farr TD. 1950. Phosphorus: Properties of the Elements and Some of Its Compounds. Chemical Engineering Report No. 8. pp. 40-51.
	Patnaik, P., 2003. Handbook of Inorganic Chemicals. McGraw Hill.
	Brown, E.H. and C.D. Whitt. (1952). Vapor pressure of Phosphoric Acids. <i>Ind. Eng. Chem.</i> 44 (3).
	Hoechst AG Frankfurt/Main. ThermPhos International B.V. AK Vlissingen; ThermPhos International (1997): Produktinformation Phosphorsaure.
	ECHA, 2008. Guidance on information requirements and chemical safety assessment Chapter R.7a: Endpoint specific guidance.
	Canadian Centre for Occupational Health and Safety, 2003. Working Safely with Phosphoric Acid. Available at: http://www.ccohs.ca/oshanswers/chemicals/chem_profiles/phosphoric/working_phosphoric.html
	Grande Paroisse SA Paris la Defense 5 - Test de Flammabilité - IU4
	Hoechst AG Frankfurt/Main. Reference: Hoechst AG, 1991. Produkt information Phosphorsaeure der Abt. Marketing Chemikalien (Februar 1991).
	Leduc Chemie B.V. Amersfoort (1998).
	Kirk Othmer Encyclopedia of Chemical Technology, 2005. PHOSPHORIC ACIDS AND PHOSPHATES. John Wiley & Sons.
	Snoeyink, V.L. and Jenkins, D., 1980. Water Chemistry. John Wiley and Sons, NY.
	Nims, L.F., 1933. The second dissociation constant of phosphoric acid from 20 to 50°. <i>J. Am Chem Soc.</i> 55: 1946-1951.
	Nims, L.F., 1934. The first dissociation constant of phosphoric acid from 20 to 50°. <i>J. Am Chem Soc.</i> 56: 1110-1112.
	Vanderzee, C.E., and Quist, A.S., 1961. The third dissociation constant of orthophosphoric acid. <i>J Phys Chem</i> 65: 118-123
	Edwards OW and Huffman EO. 1958. Viscosity of Aqueous Solutions of Phosphoric Acid at 25 degree C. <i>Industrial & Engineering Chemistry Chemical & Engineering Data Series</i> , 3 (1), 145-146.
	Farr TD. 1950. Phosphorus: Properties of the Elements and Some of Its Compounds. Chemical Engineering Report No. 8., p. 46. (Citing: Monsanto Chemical Company. Technical Bulletin. No.P-26, "Phosphoric Acid, Its Physical and Chemical Properties," November 1, 1946.)
Toxicological data	
8,1	
8.1.1. - In vivo skin irritation/ animal studies	
	Mammalian tox irritation study via OECD guideline 404, in vivo skin irritation (rat) - Dupont-
	Albright & Wilson (1975) A Primary Dermal Irritation Study of Phosphoric Acid on Abraded and Nonabraded Skin of New Zealand Albino Rabbits. A&W Study M15-75.

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	BIOFAX (1970) BIOFAX Industrial Bio-Test Laboratories, Inc. 17-4. Cited in: Bibra toxicology advice and consulting. 1993. Toxicity Profile: Phosphoric acid and common inorganic phosphates.
	BASF. 1980. Vergleichende Pruefung der primaeren Hautreizwirkung von "Sokalan Kaninchen nach Fed. Reg., Section 1500.41.
	BASF. 1980. Vergleichende Pruefung der primaeren Hautreizwirkung von "Sokalan SMK" und "Phosphorsaeure 19%ig" an der Ruekenhaut weisser Kaninchen nach 4stuendiger Einwirkung.
	Bucher, K., Bucher, K.E., and Walz, D. Agents and Actions, 11: 515-519.
	CSDS/Chemical Safety Data Sheets (1990) Vol 3. Cambridge: Royal Society of Chemistry. Cited in: IPCS Intox databank: UKPID Monograph.
	FMC Corporation (1988) 75 % Phosphoric Acid: Modified Primary Skin Irritation Study in Rabbits. Study number 188-1050
	Henkel AG & Co. Skin irritation study available (patch test, rabbits), circa 1977.
	Hoechst AG. 1985. Phosphorige Saeure Pruefung auf Hautreizung am Kaninchen, Bericht No.: 85.0015, 01.08.85
	Hoechst AG. 1968. Toxicological Assessment of Cleaning Agent Components Pharma-Forschung/Laboratorium fur Gewerbe-und Arzneimitteltoxikologie. Report No. 111/68.
	Hoechst AG. 1971. Pasty Phosphoric Acid. VP Kn 500. Pharma-Forschung/Laboratorium fur Gewerbe-und Arzneimitteltoxikologie. Report No. 0130/71
	Hoechst AG. 1971. Pasty Phosphoric Acid. VP Kn 500. Pharma-Forschung/Laboratorium fur Gewerbe-und Arzneimitteltoxikologie. Report No. 0130/71
	Hoechst AG. 1985. Phosphoric Acid Assessment of Dermal Irritation on Rabbits. Pharma-Forschung/ Laboratorium fur Gewerbe-und Arzneimitteltoxikologie. Report No.. 85.0015
	Mobil -Lewis CA, 1979. A dermal corrosion study in albino rabbits. Compound: MCTR-67-79. Consumer product testing (for Mobil). study no: 79230-1.
	Mobil -Becker J and Parke G, 1976. Report on primary dermal irritation study in rabbits. Compound: MCTR-51-76. Cannon (for Mobil). study no: M512-76.
	Mobil -Becker J and Parke G, 1975. A primary dermal irritation study of MCTR-1-75 on abraded and nonabraded skin of New Zealand albino rabbits. Cannon (for Mobil). study no: M15-75.
	Mobil -Imlay P and Parke G, 1977. Report on primary dermal irritation study in rabbits. Compound: MCTR-192-77. Cannon (for Mobil). study no: M11924-77.
	Randall DJ & Robinson EC (1975-1976) Acute Toxicologic Evaluation of Various Concentrations of Phosphoric Acid. Monsanto Company-Dept. of Med. & Health Sciences, St. Louis, Mo.
	Randall DJ & Robinson EC (1975-1977) Skin Irritation Tests on Various Concentrations of Phosphoric Acid. Monsanto Company-Dept. of Med. & Health Sciences, St. Louis, Mo.
	Sekizawa J, Yasuhara K, Suyama Y, Yamanaka S, Tobe M, Nishimura M. 1994. A simple method for screening assessment of skin and eye irritation. J Toxicol Sci. 1994 Feb;19(1):25-35.
	Bullock and Kamienski for Stauffer Chemical Company (1971) 70% Wet Phosphoric Acid Dermal Irritation. Stauffer Report T-1731.
	Sittig M (1981) Handbook of Toxic and Hazardous Chemicals. Noyes Publication, Park Ridge, New Jersey.
	Stauffer Chemical Company (1971) Potassium Tripolyphosphate Acute Oral Toxicity. Stauffer Report T-1680-8. Cited In: Weiner ML, Salminen WF, Larson PR, Barter RA, Kranetz JL, Simon GS. 2001. Toxicological review of inorganic phosphates. Food and Chemical Toxicology 39 (8); p. 759-86.

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Bullock and Kamienski for Stauffer Chemical Company (1971) 52% Phosphoric Acid Primary Skin Irritation — Rabbits. Stauffer Report T-1777.
	Weiner M, Freeman C, et al. (1990) Modified skin irritation study on 75% phosphoric acid in a single rabbit. Acute Toxic. Data, 1 (2), 98-9; US-EPA (1990): Fed. Regist. 55 (122), 25876-25878 (25.06.1990)
	Young JR, How MJ, Walker AP and Worth MH (1988) Classification as corrosive or irritant to skin of preparations containing acidic or alkaline substances, without testing on animals. Toxic. In Vitro Vol. 2, No. 1, pp. 19-26
8.2 Eye Irritation	
	Bundesminister des Inner (1990) Gemeinsames Ministerialblatt Nr. 124, Kenn-Nr. 392 (23.03.1990), as cited in ECB (2000). Cited in: European Commission. IUCLID Dataset, Nitric acid (HNO ₃) 7697-37-2. 2000. European Commission-European Chemicals Bureau. Accessed on 2009 April 15.
	HSC (1990) Information approved for the classification, packaging and labeling of dangerous substances for supply and conveyance by road. 3rd Edition. Health and Safety Commission, HMSO, London. Cited in: Bibra toxicology advice and consulting. 1993. Toxicity Profile: Phosphoric acid and common inorganic phosphates.
	Grant WM (1974) Toxicology of the Eye. 2nd Edition. Charles C. Thomas. Springfield, Illinois.
	Grant WM (1974) Toxicology of the Eye. 2nd Edition. Charles C. Thomas. Springfield, Illinois.
8.2.1. - In vivo eye irritation/ animal studies	
	Mammalian in vivo eye irritation study via OECD guideline 405 (rabbit) - Dupont
	BIOFAX Ind (1970) Bio-Test Lab. 17-4/70; zitiert in: RTECS (1991); TRGS 900 (1993). Cited in: European Commission. IUCLID Dataset, Nitric acid (HNO ₃) 7697-37-2. 2000. European Commission-European Chemicals Bureau. Accessed on 2009 April 15.
	Hoechst AG. 1968. Toxicological Assessment of Cleaning Agent Components Pharma-Forschung/Laboratorium fur Gewerbe-und Arzneimitteltoxikologie. Report No. 111/68.
	Hoechst AG. 1971. Pasty Phosphoric Acid. VP Kn 500. Pharma-Forschung/Laboratorium fur Gewerbe-und Arzneimitteltoxikologie. Report No. 0130/71
	Jacobs, GA. 1988. Two dilutions of phosphoric acid tested on eye. Institute of Hygiene and Epidemiology, Div. Toxicology, J. Wytsmanstraat 14, B-1050 Brussels, Belgium.
	Jacobs GA & Martens MA (1989). An objective method for the evaluation of eye irritation in vivo. Fd Chem. Toxic. 27(4): 255-258.
	Jacobs GA (1992) Two Dilutions of Phosphoric Acid tested on Eye. J am coll toxicol 11 (6): 724.
	Larson, P.S. et al., 1956. Observations of the effect of chemical configuration on the edema-producing potency of acid, aldehydes, ketones, and alcohols. J. Pharamc. Exp. Ther. 116(): 119.
	Mobil -Becker J and Parke G, 1976. Report on rabbit eye irritation. Compound: MCTR-51-76. Cannon (for Mobil). study no: M511-76.
	Mobil -Becker J and Parke G, 1975. The effects of MCTR 1-75 on the eye mucosa of New Zealand albino rabbits. Cannon (for Mobil). Sudy no: M14-75.
	Mobil -Imlay P and Parke G, 1977. Report on rabbit eye irritation. Compound: MCTR-192-77. Cannon (for Mobil). study no: M1923-77.
	Sekizawa J, Yasuhara K, Suyama Y, Yamanaka S, Tobe M, Nishimura M. 1994. A simple method for screening assessment of skin and eye irritation. J Toxicol Sci. 1994 Feb;19(1):25-35.

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Bullock and Kamienski for Stauffer Chemical Company (1971) 70% Wet Phosphoric Acid Eye Irritation. Stauffer Report T-1731.
	Scholz and Weigand, 1968. Toxikologische Prufung von reinigerkomponenten. Farbuerke Hoechst AG.
	Sittig M (1981) Handbook of Toxic and Hazardous Chemicals. Noyes Publication, Park Ridge, New Jersey.
8.3 Sensitization	
8.3.1 - Skin sensitization - in vitro/ in vivo	
	Bundesminister des Innern (1990): Gemeinsames Ministerialblatt Nr. 124, Kenn-Nr. 392 (23.03.1990). Cited in: US EPA High Production Volume Information System. AND European Commission. IUCLID Dataset, Nitric acid (HNO ₃) 7697-37-2. 2000. European Commission-European Chemicals Bureau. Accessed on 2009 April 15.
	Fedorenko, V., et al., 1991. Experimental substantiation of maximum allowable concentration of phosphorousacid in the water of reservoirs. Gig Sanit. 1991 Apr; (4):24-26.
8.4.0.e. - Additional toxicological information	
	Iijima Horii, Kanemaki et al. (1993) Cytotoxicity of phosphoric acid on cultured mammalian cells. Shigaku, 80, (5) 1159-65.
	Arenholt-Bindslev D et al. (1987) Toxic effects of two dental materials on human buccal epithelium in vitro and monkey buccal mucosa in vivo. Scand. J. Dent. Res., 95: 467.
8.4 Mutagenicity	
8.4.1. - In vitro gene mutation study in bacteria	
	Al-ani FY and Al-Lami SK (1988) Absence of mutagenic activity of acidity regulators in the Ames Salmonella/microsome test. Mutation Research, 206, 467-470.
	Cipollaro M, Corsale G et al. (1986) Sublethal pH decrease may cause genetic damage to eukaryotic cell: a study on sea urchins and <i>S. typhimurium</i> . Teratogenesis, carcinogenesis, mutagenesis. 6: 275-87.
	Demerec, M., et a., 1951. A survey of chemicals for mutagenic action on <i>E. Coli</i> . American naturalist 85(821): 119-136
	Need to obtain copy of study National Institute of Environmental Research (NIER), Korea, 2008. Bacterial reverse mutation test of Phosphoric acid using microorganisms (Report No G01-08085 Cite in : OECD HPV IUCLID dataset for Phosphoric acid, NIER)
	Seifried et al., 2005. A compilation of two decades of mutagenicity test results with the ames salmonella typhimurium and L5178Y mouse lymphoma cell mutation assays. Chem. Res. Toxicol. 2006, 19, 627-644.
	Ishidate M Jr, 1984. Primary mutagenicity screening of food additives currently used in Japan. Fd Chem Toxic, 22, 623-636.
	Ishidate M Jr, 1984. Primary mutagenicity screening of food additives currently used in Japan. Fd Chem Toxic, 22, 623-636.
	Bacterial Reverse Mutation Assay. Study AA43RB.503.BTL. OECD Protocol 471. Aug. 13, 2001. BioReliance, 9630 Medical Center Drive, Rockville, MD 20850.
	Brusick D.J., 1977. Mutagenicity evaluation of MCTR-258. Study PS3711. Litton Bionetics (for Mobil).
	Brusick D.J., 1977. Mutagenicity evaluation of MCTR-256. Study PS3739. Litton Bionetics (for Mobil).
	Brusick D.J., 1977. Mutagenicity evaluation of MCTR-257. Study PS3734. Litton Bionetics (for Mobil).
8.4.2. - In vitro cytogenicity study in mammalian cells or in vitro micronucleus study	

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Arenholt-Bindslev D et al. (1987) Toxic effects of two dental materials on human buccal epithelium in vitro and monkey buccal mucosa in vivo. Scand J dent res, 95: 467.
	National Institute of Environmental Research (NIER), Korea (2005) In vitro chromosome aberration test of Phosphoric acid (CAS No. 7664-38-2) using mammalian cultured cell. Cited In: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Incheon, Republic of Korea.
	Ishidate Jr., M. (ed.), 1987. Chromosomal Aberration Test in Vitro, L.I.C., Inc., Tokyo.
	In Vitro Mammalian Chromosome Aberration Test. Study AA43RB.331.BTL. OECD Protocol 473. Aug. 15, 2001. BioReliance, 9630 Medical Center Drive, Rockville, MD 20850.
	Loveday, K.S., et al., 1989. Chromosome Aberration and Sister Chromatid Exchange Tests in Chinese Hamster Ovary Cells In Vitro: II. Results With 20 Chemicals. Environmental and Molecular Mutagenesis 13:60-94.
	Loveday, K.S., et al., 1989. Chromosome Aberration and Sister Chromatid Exchange Tests in Chinese Hamster Ovary Cells In Vitro: II. Results With 20 Chemicals. Environmental and Molecular Mutagenesis 13:60-94.
8.4.3. - In vitro gene mutation study in mammalian cells	
	Casto, BC and Hatch GG. 1978. Progress Report NIH-NCI-N01-CP-45615, pp. 62-75. Cited in: Heilderberg (1983). Cell Transformation by Chemical Agents: A Review and Analysis of the Literature: A Report of the U.S. Environmental Protection Agency Gene-Tox Program. Mutat. Res. 114:283-385.
	Seifried et al., 2005. A Compilation of Two Decades of Mutagenicity Test Results with the Ames Salmonella typhimurium and L5178Y Mouse Lymphoma Cell Mutation Assays. Chem. Res. Toxicol. 2006, 19, 627-644.
8.4.4. - In vivo genotoxicity studies	
	Arenholt-Bindslev D et al. (1987) Toxic effects of two dental materials on human buccal epithelium in vitro and monkey buccal mucosa in vivo. Scand J dent res, 95: 467.
	Chaurasia, LC et al., 1988. Induction of Mitotic Chromosome Anomalies in Mice by Single Super Phosphate. Cytologia 53: 485-489.
	Fedorenko, V., et al., 1991. Experimental substantiation of maximum allowable concentration of phosphorous acid in the water of reservoirs. Gig Sanit. 1991 Apr; (4):24-26.
8.5 Acute toxicity	
8.5.0.b - Acute toxicity - Exposure related observations in humans: Epidemiological data	
	Cello JP et al. (1980) Liquid caustic ingestion. Spectrum of injury. Arch Intern. Med. 140, 501.
	Hawkins DB, Demeter MJ, Barnett TE (1980) Caustic ingestion: Controversies in management. A review of 214 cases. Laryngoscope; 90: 98-109. Cited in: Bibra toxicology advice and consulting. 1993. Toxicity Profile: Phosphoric acid and common inorganic phosphates.
	Wason S, Gomolin I, Gross P, et al. (1984) Phosphorus trichloride toxicity preliminary report. Am J. Med. 77, 1039-1042.
8.5.0.c - Acute toxicity - Exposure related observations in humans: Direct observations: clinical cases, poisoning incidents and other	
	Arena JM (1970) Poisoning: Toxicology, Symptoms, Treatments. 2nd Edition. Charles C Thomas, Springfield, Illinois. P73.
	Caravati, M, 1987. Metabolic Abnormalities Associated with Phosphoric Acid Ingestion. Anal of Emergency Medicine, 16:8 August 1987, page 119/904

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Roshchin AV, Molodkina NN (1977) Chloro compounds of phosphorus as industrial hazards. J Hyg Epidemiol Microbiol Immunol; 21: 387-94.
	Sigova NV (1983) Gig. Truda prof. Patol. Tsv.cher. Metallurg. M, 65.
	von Muhlendahl KE, Oberdisse U, Krienke EG (1978) Local injuries by accidental ingestion of corrosive substances by children. Arch Toxicol; 39: 299-314.
8.5.0.d - Acute toxicity - Exposure related observations in humans: other data	
	NIOSH Pocket Guide to Chemical Hazards. DHHS (NIOSH) Publication No. 97-140. Washington, D.C. U.S. Government Printing Office, 1997, p. 254. Supporting information at: http://www.cdc.gov/niosh/idlh/7664382.html
8.5.0.e - Additional toxicological information	
	Forsberg CM (1982) The effect of 50 per cent phosphoric acid on oral soft tissues. Swed Dent J Supplement 15.
8.5.1. - Acute toxicity , oral	
	Mobil-Terrell, Y and Parke, G, 1975. Acute Oral Toxicity in Rats. Compound: MCTR-1-75. Cannon (for Mobil). Study no. M11-75.
	Mobil-Terrell, Y and Parke G, 1975. Acute Oral Toxicity in Rats. Compound: MCTR-1-75. Cannon (for Mobil). Study no. M12-75.
	BIOFAX Ind (1970) Bio-Test Lab. 17-4/70; zitiert in: RTECS (1991). Cited in: European Commission. IUCLID Dataset, Nitric acid (HNO3) 7697-37-2. 2000. European Commission-European Chemicals Bureau. Accessed on 2009 April 15.
	Clariant Produkte. Acute oral toxicity study available, circa 1968.
	Fedorenko, V., et al., 1991. Experimental substantiation of maximum allowable concentration of phosphorous acid in the water of reservoirs. Gig Sanit. 1991 Apr; (4):24-26.
	Hoehst AG. 1968. Toxicological Assessment of Cleaning Agent Components Pharma-Forschung/Laboratorium fur Gewerbe-und Arzneimitteltoxikologie. Report No. 111/68.
	Mobil -Imlay P and Parke G, 1977. Report on oral LD50 in rats. Compound: MCTR-192-77. Cannon (for Mobil). study no: M1921-77.
	Mobil -Terrel Y and Parke G, 1977. Report on Oral LD50 in rats. Compound: MCTR-192-77. Lab study no. 7E-7003. Cannon (for Mobil). study no: M12-75.
	National Institute of Environmental Research (NIER), Korea (2005) A single-dose oral toxicity study of phosphoric acid in Sprague-Dawley rats (Acute toxic class method). Cited in: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Inchon, Republic of Korea.
	Randall DJ & Robinson EC (1975-1976) Acute Toxicologic Evaluation of Various Concentrations of Phosphoric Acid. Monsanto Company-Dept. of Med. & Health Sciences, St. Louis, MO. Cited in: Randall DJ & Robinson EC (1990) J. Am. Coll. Toxicol. B1, 69.
	Scholz and Weigand, 1967/1968. Toxikologische Prüfung von reinigerkomponenten. Study no. 111/68. Prepared for Farbwerke Hoehst AG.
	Sigova NV (1983) Gig. Truda prof. Patol. Tsv.cher. Metallurg. M, 65.
	Scholz and Weigand, 1964. Knapsack bei Koln. Anorganisches Laboratorium. Knapsack - Griesheim.
	Acute Oral Toxicity Up and Down Procedure in Rats – Limit Test. Study 9732. Dec. 11, 2000. OECD Protocol 401. Product Safety Labs, 7225 Cranbury Road, East Brunswick, NJ 08816.
	Acute Oral Toxicity Up And Down Procedure In Rats – Limit Test. Study 9733. Dec. 11, 2000. OECD Protocol 401. Product Safety Labs, 7225 Cranbury Road, East Brunswick, NJ 08816.

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Acute Oral Toxicity Up and Down Procedure in Rats – Limit Test. Study 9737. Dec. 11, 2000. OECD Protocol 401. Product Safety Labs, 7225 Cranbury Road, East Brunswick, NJ 08816.
	Van Esch, G.J., et al, 1957. The physiological effect of phosphates. <i>Arzneimittel Forsch</i> 7, 172-175.
8.5.2. - Acute toxicity, inhalation	
	Ballantyne B. 1998. Acute inhalation toxicity of red phosphorus smoke. <i>Toxic Substance Mechanisms</i> , 17(4): 251-266.
	Sigova NV (1983) <i>Gig. Truda prof. Patol. Tsv.cher. Metallurg. M</i> , 65. Cited in: Bibra toxicology advice and consulting. 1993. Toxicity Profile: Phosphoric acid and common inorganic phosphates.
	DuPont Co. (1987) One-hour inhalation median lethal concentration (LC50) study with nitric acid. Haskell Laboratory Report No 451-87. Newark, Delaware. 26pp.
8.5.3. - Acute toxicity, dermal	
	BIOFAX Ind (1970) Bio-Test Lab. 17-4/70; zitiert in: RTECS (1991); TRGS 900 (1993). Cited in: European Commission. IUCLID Dataset, Nitric acid (HNO ₃) 7697-37-2. 2000. European Commission-European Chemicals Bureau. Accessed on 2009 April 15.
	Mobil - Imlay P and Parke G, 1975. The acute dermal toxicity study of MCTR-1-75, New Zealand Albino rabbits. Cannon (for Mobil). study no: M113-75.
	Mobil - Imlay P and Parke G, 1977. Report on the acute dermal toxicity of rabbits. Compound: MCTR-192-77. Cannon (for Mobil). study no: M1922-77.
	Randall DJ & Robinson EC (1975-1976) Acute Toxicologic Evaluation of Various Concentrations of Phosphoric Acid. Monsanto Company-Dept. of Med. & Health Sciences, St. Louis, MO. Cited in: Randall DJ & Robinson EC (1990) <i>J. Am. Coll. Toxicol.</i> B1, 69.
	Sigova NV (1983) <i>Gig. Truda prof. Patol. Tsv.cher. Metallurg. M</i> , 65. Cited in: Bibra toxicology advice and consulting. 1993. Toxicity Profile: Phosphoric acid and common inorganic phosphates.
	Acute Dermal Toxicity Study in Rats – Limit Test. Study 9734. Dec. 11, 2000. OECD Protocol 402. Product Safety Labs, 725 Cranbury Road, East Brunswick, NJ 08816
	Acute Dermal Toxicity Study in Rats – Limit Test. Study 9736. Dec. 11, 2000. OECD Protocol 402. Product Safety Labs, 725 Cranbury Road, East Brunswick, NJ 08816
	Acute Dermal Toxicity Study in Rats – Limit Test. Study 9738. Dec. 11, 2000. OECD Protocol 402. Product Safety Labs, 725 Cranbury Road, East Brunswick, NJ 08816.
	Bullock CH and Kamienski FX., 1971. Toxicology lab report. Report PS-2864/T-4050. Stauffer Western RC.
	Lewis, CA, 1979. A dermal corrosion study in albino rabbits. Compound: MCTR-67-79. Study PS-8705/ 79230-1. Consumer product testing (for Mobil)
8.6 Repeated dose toxicity	
8.6.1.a - Repeated dose toxicity (28 days): oral	
	National Institute of Environmental Research (NIER), Korea (2005). Combined Repeat dose toxicity study with the reproduction/developmental toxicity screening test of Phosphoric acid in rats. Cited In: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Incheon, Republic of Korea.
	4-Week General Toxicity and Reproductive/Developmental Toxicity Screening Test. Study 022948. OECD Protocol 422. Nov. 20, 2002. Huntingdon Life Sciences, Ltd., Woolley Road, Alconbury, Huntingdon, Cambridgeshire PE28 4HS England.

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	GTSP-4-Week General Toxicity and Reproductive/ Developmental Toxicity Screening Test. Study 022949. OECD Protocol 422. Nov. 20, 2002. Huntingdon Life Sciences, Ltd., Woolley Road, Alconbury, Huntingdon, Cambridgeshire PE28 4HS England.
8.6.1.b Repeated dose toxicity (28 days): inhalation	
	Sigova NV (1983) Gig. Truda prof. Patol. Tsv.cher. Metallurg. M, 65. Cited in: Bibra toxicology advice and consulting. 1993. Toxicity Profile: Phosphoric acid and common inorganic phosphates.
8.6.1.c Repeated dose toxicity (28 days): dermal	
8.6.2.a - Repeated dose toxicity (90-day): oral	
	Fedorenko, V., et al., 1991. Experimental substantiation of maximum allowable concentration of phosphorousacid in the water of reservoirs. Gig Sanit. 1991 Apr; (4):24-26.
	Hodge, H.C., 1959. Chronic Oral Toxicity Studies in Rats of Sodium Tripolyphosphate. Unpublished study. Department of Pharmacology, University of Rochester School of Medicine and Dentistry.
	Hodge, H.C., 1960. Chronic Oral Toxicity Studies in Rats of Sodium Hexametaphosphate. Unpublished study. Department of Pharmacology, University of Rochester School of Medicine and Dentistry.
	Hodge, H.C., 1960. Chronic Oral Toxicity Studies in Rats of Sodium Trimetaphosphate. Unpublished study. Department of Pharmacology, University of Rochester School of Medicine and Dentistry.
	McMeniman NP (1973) The toxic effect of some phosphate supplements fed to sheep. Australian Veterinary Journal 49, 150–152.
	Van Esch, G.J., et al, 1957. The physiological effect of phosphates. Arzneimittel Forsch 7, 172-175.
8.6.2.b Repeated dose toxicity (90-day): inhalation	
	Aranyi C, Henry MC, Vana SC Gibbons RD and Iverson WO (1988) Effects of multiple intermittent inhalation exposures to red phosphorus/butyl rubber obscurant smokes in Sprague-Dawley rats. Inhalation Toxicology, Premier Issue. p. 65-78.
8.6.2.c Repeated dose toxicity (90-day): dermal	
8.6.3.a - A long-term repeated toxicity study (≥ 12 months), oral	
	Bonting, S. L. and Jansen, B.C., 1956. VThe effect of a prolonged intake of phosphoric acid and citric acid in rats. oeding, 17():137–148.
	Van Esch, G.J., et al, 1957. The physiological effect of phosphates. Arzneimittel Forsch 7, 172-175.
8.6.3.b A long-term repeated toxicity study (≥ 12 months), inhalation	
8.6.3.c A long-term repeated toxicity study (≥ 12 months), dermal	
8.6.4	
8.6.4.1 - Neurotoxicity	
8.6.4.4 - Additional toxicological information (e.g. human data)	
	Amato, D., 2001. Carbonated Beverage Consumption and Bone Fractures. Arch Pediatr Adolesc Med 155(2):200-201

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Amato, D., 1998. Acute effects on soft drink intake on calcium and phosphate metabolism in immature and adult rats. <i>Rev Invest Clin</i> 50: 185-189
	Arenholt-bindslev D. et al., 1987. Toxic effects of two dental materials on human buccal epithelium in vitro and monkey buccal mucosa in vivo. <i>scand j dent res</i> 95: 467-474.
	Bonting, S.L. 1952. The effect of a prolonged intake of phosphoric acid and citric acid in rats. (dissertation)
	Fabbri, L., et al., 1977. Chronic broncopneumopathy and pneumoconiosis in workers employed in phosphoric acid production. <i>Lavoro Umano</i> 27: 50-57.
	Fernando, G.R., et al., 1999. Consumption of soft drinks with phosphoric acid as a risk factor for the development of hypocalcemia in postmenopausal women. <i>J. Clin. Epidem.</i> 52(10):1007-1010
	Garcia-Contreras, F., et al., 2000. Cola beverage consumption induces bone mineralisation reduction in Ovariectomized rats. <i>Arch. Med. Res.</i> 31: 360-365.
	Heaney, R.P., et al., 2001. Carbonated beverages and urinary calcium excretion. <i>Am J. Clin. Nutr.</i> 74: 343-347.
	Libuda, L., 2008. Association between long-term consumption of soft drinks and variables of bone modeling and remodeling in a sample of healthy German children and adolescents. <i>Am. J. Clin. Nutr.</i> 88: 1670-1677.
	MacKay, E.M and Oliver, J., 1935. Renal damage following the ingestion of a diet containing an excess of inorganic phosphate. <i>J. Exp. Med.</i> 61: 319.
	Malm, O.J., 1952. Dietary balance calcium and phosphoric acid. <i>Scand J Clin Lab Invest.</i> 5: 75-84.
	Martonen TB and Clark ML (1983) The deposition of hygroscopic acid aerosols in ciliated airways of man. <i>Fund. Appl. Toxicol.</i> 3: 0-15. Cited in: US EPA Integrated Risk Information System. Phosphoric acid.
	Mazariegos-Ramos E, Guerrero-Romero F, Rodríguez-Morán M, Lazcano-Burciaga G, Paniagua R, Amato D (1995) Consumption of soft drinks with phosphoric acid as a risk factor for the development of hypocalcaemia in children: A case-control study. <i>J Pediatr</i> ; 126: 940-2.
	Nazario, G., 1952. <i>Rev. Inst. Adolpho. Lutz</i> ; cited in Ellinger RH (1972) Phosphates in food processing. In: Furia, T.E. (Ed.), <i>Handbook of Food Additives. Vol. I. The Chemical Rubber Company, Cleveland, OH.</i>
	Tucker, K.L., 2006. Colas, but not other carbonated beverages, are associated with low bone mineral density in older women: the Framingham Osteoporosis study. <i>Am J. Clin. Nutr.</i> 84: 936-942.
	Whiting S.J. et al., 2001. Relationship between carbonated and other low nutrient beverages and bone mineral content of adolescents. <i>Nutr. Res.</i> 21: 1107-1115.
	Wyshak, G., 2000. Teenaged girls, carbonated beverage consumption, and bone fractures. <i>Arch. Pediatr. Adolesc. Med.</i> 154: 610-613.
8.7 Reproductive toxicity	
8.7.1. - Screening for reproductive/developmental toxicity	
	Bundesminister des Innern (1990) <i>Gemeinsames Ministerialblatt Nr. 124, Kenn-Nr. 392 (23.03.1990)</i> . Cited in: US EPA High Production Volume Information System.
	National Institute of Environmental Research (NIER), Korea (2005). Combined Repeat dose toxicity study with the reproduction/developmental toxicity screening test of Phosphoric acid in rats. Cited In: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Inchon, Republic of Korea.
	Van Esch, G.J., et al, 1957. The physiological effect of phosphates. <i>Arzneimittel Forsch</i> 7, 172-175.
8.7.2. Pre-natal developmental toxicity study	
	Teratologic Evaluation of FDA 73-2, Monosodium phosphate, anhydrous in Mice and Rats. - Final rept. Food and Drug Research Labs., Inc., Waverly, N.Y. Study sponsor US FDA

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
8.7.3. - Two-generation reproductive toxicity study	
	Fedorenko, V., et al., 1991. Experimental substantiation of maximum allowable concentration of phosphorousacid in the water of reservoirs. Gig Sanit. 1991 Apr; (4):24-26.
	Hodge, H.C., 1959. Chronic Oral Toxicity Studies in Rats of Sodium Tripolyphosphate. Unpublished study. Department of Pharmacology, University of Rochester School of Medicine and Dentistry.
	Hodge, H.C., 1960. Chronic Oral Toxicity Studies in Rats of Sodium Hexametaphosphate. Unpublished study. Department of Pharmacology, University of Rochester School of Medicine and Dentistry.
	Hodge, H.C., 1960. Chronic Oral Toxicity Studies in Rats of Sodium Trimetaphosphate. Unpublished study. Department of Pharmacology, University of Rochester School of Medicine and Dentistry.
	Bonting, S. L. and Jansen, B.C., 1956. VThe effect of a prolonged intake of phosphoric acid and citric acid in rats. oeding, 17():137-148.
8.8.1. - Assessment of the toxicokinetic behaviour	
	Bonting, S. L. and Jansen, B.C., 1956. VThe effect of a prolonged intake of phosphoric acid and citric acid in rats. oeding, 17():137-148.
	Caravati EM (1987) Metabolic abnormalities associated with phosphoric acid ingestion. Ann Emerg Med; 16: 904-6. Cited in: IPCS Intox Databank. UKPID Monograph.
	Choi, JH et al., 1979. Blood phosphorus levels of laying hens at various time intervals after dosing with phosphoric acid. J. Nutr. 109: 1515-1518.
	Van Esch, G.J., et al, 1957. The physiological effect of phosphates. Arzneimittel Forsch 7, 172-175.
8.9. Carcinogenicity	
8.9.1. Carcinogenicity study	
Ecotoxicity	
9.1.1. - Short-term toxicity testing on invertebrates (preferred species Daphnia)	
	Brehm VJ and Meijerling MPD (1982) On the sensitivity to low pH of some selected crustaceans (Daphnia and Gammarus, Crustacea). Arch Hydrobiol. 95 (1-4), 17-27.
	National Institute of Environmental Research, Korea Institute of Technology, Korea Research Institute of Chemical Technology Cited in: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Incheon, Republic of Korea.
	Belanger, S. E, and Cherry, D. S. 1990, J. Crustacean Biol. 10,225
	Bruns, A. D. and Wiersma, G. B.: 1988, Environ. Toxicol. Chem.7,807.
	Bernhardt AM et al. 1985. The effects of phosphates on shell growth and calcium carbonate crystal formation. Aquatic Toxicol. 7:1-13.
	Chandini.1987.Effects of Chronic Acid Stress on the Survivorship, Growth, and Reproduction of Daphia Carinata (Daphnidae) and Echinsca Triserialis (Macrothricidae)(Crustace: Cladocera).Ann Soc Roy Zool Belgique. 117(I):89-103
	Davis P., and Ozburn, G. W.: 1969, Can. J. Zool. 41,1173.
	Havas, M. 1985. Aluminum bioaccumulation and toxicity to Daphnia magna in soft water at low pH. Can. J. Fish Aquat. Sci. 42, 1741-1748.
	Havas, M. and Likens, G.E. 1985. Toxicity of aluminum and hydrogen ions to Daphnia catawba, Holopedium gibberum, Chaoborus punctipennis and Chironomous anthrocinus from Mirror Lake, New Hampshire. Can. J. Zool., 63, 114-119.
	Havas, M. and Likens, G.E. 1985. Changes in 22Na influx and outflux in Daphnia magna (Straus) as a function of elevated Al concentrations in soft water at low pH. Proc. Natl. Acad. Sci. USA, 82, 7435-7439.

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Klugh, A. B. and Miller, H. C; 1926, Trans. Roy. Soc. Can. 1926(V),225.
	Kunigelis, SC and Wilbur KM. 1987. The effects of inorganic phosphates on trochophore larvae of the oyster, <i>Crassostrea virginica</i> . International Journal of Invertebrate Reproduction and Development 12:161-172
	Lewis, P. A. and Weber, C. I.: 1985, in Cardwell, R. D., R. Purdy, and R. C' Bahner (eds.), Aquatic Toxicology and Hazard Assessment: Seventh Symposium, ASTM STP 854, American Society for Testing and Materials, Philadelphia, pp. 73-86.
	Meinel, W., Matthias, U., and Zimmerman, S. 1985. Okophysiologische Untersuchungen zur Saeuretoleranz von <i>Gammarus fossarum</i> (Koch). Ecophysiological studies on acid tolerance of <i>Gammarus fossarum</i> . Arch. Hydrobiol., 104, 287-302.
	MORGAN DO AND McMAHON BR. 1982. ACID TOLERANCE AND EFFECTS OF SUBLETHAL ACID EXPOSURE ON IONO-REGULATION AND ACID-BASE STATUS IN TWO CRAYFISH <i>PROCAMBARUS CLARKI</i> AND <i>ORCONECTES RUSTICUS</i> . J EXP BIOL. 97:241-252
	Parent, S. and Cheetham, R. D.: 1980, Bull. Environ. Contam. Toxicol.25,298.
	Price, E. E. and Swift, M. C.: 1985, Can. J. Fish. Aquat. Sci. 42,1749.
	Walton WE, Compton SM, Allan JD, and Daniels RE.1981. The Effect of Acid Stress on Survivorship and reproduction of <i>Daphnia pulex</i> . Can.J.Zool.60:573-579
9.1.2. - Growth inhibition study aquatic plants (algae preferred)	
	National Institute of Environmental Research, Korea Institute of Technology, Korea Research Institute of Chemical Technology. Cited in: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Incheon, Republic of Korea.
	Chemicals Evaluation and Research Institute, Japan, on behalf of the Ministry of Land, Infrastructure and Transport, Japan. 1999. Name of study report not specified; data cited in <i>SIDS Initial Assessment Report For SIAM 15</i> , October, 2002. Available at: http://www.inchem.org/documents/sids/sids/7647010.pdf .
	Toxicity of Diammonium Phosphate (DAP) to the Unicellular Green Alga, <i>Selenastrum capricornutum</i> . Study 46207. OECD Protocol 201. Dec. 13, 2000. ABC Laboratories, Inc. 7200 E. ABC Lane Columbia, Missouri 65202.
9.1.3. - Short-term toxicity testing on fish	
	Alkahem HF (1989) Effects of different acids on the freshwater fish, <i>Aphanius dispar</i> . J. Biol. Sci.Res.: 20(3): 537-545.
	Dlively JI, Mudge JE, Neff WH, and Anthony A. 1977. BLOOD Po2, Pco, AND pH CHANGES IN BROOK TROUT (<i>SALVELINUS FONTINALIS</i>) EXPOSED TO SUBLETHAL LEVELS OF ACIDITY. Comp Biochem Physiol. 57A: 347-351
	Ellgaard & Gilmore (1984) Effects of different acids on the bluegill sunfish <i>Lepomis macrochirus</i> . J. Fish Biol. 25 (2) 133-137.
	Jagoe CH, Haines TA, and Kircheis FW. 1984. Effects of Reduced pH on Three Life Stages of Sunapee Char <i>Salvelinus alpinus</i> . Bull. Environ. Contam. Toxicol. 33:430-438
	National Institute of Environmental Research, Korea Institute of Technology, Korea Research Institute of Chemical Technology, 2005. Acute Toxicity Test of Phosphoric acid to Red Killifish, <i>Oryzias latipes</i> Cited in: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Incheon, Republic of Korea.
	Swift MC and Morgan RP. 1983. ACUTE TOXICITY OF NITRIC ACID TO FINGERLING RAINBOW TROUT (<i>SALMO GAIRDNERI</i>). Comp Biochem Physiol. 76(2): 227-229

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Von Burg, R (1992), Phosphoric Acid/ Phosphates, a Review. Journal of Applied Toxicology 12(4): 301-303;
	Wallen I.E., et al., 1957. Stream pollution, toxicity to gambusia affinis of certain pure chemicals in turbid water. Sewage and industrial wastes. 29(6): 695-711.
	Acute Toxicity of Ammonium Phosphate Sulfate to the Rainbow Trout, <i>Oncorhynchus mykiss</i> , Determined Under Static Test Conditions. Study 46203. Nov. 30, 2000. OECD Protocol 203. ABC Laboratories, Inc. 7200 E. ABC Lane Columbia, MO 65202.
	Acute Toxicity of Monoammonium Phosphate to the Rainbow Trout, <i>Oncorhynchus mykiss</i> , Determined Under Static Test Conditions. Study 46201. Nov. 30, 2000. OECD Protocol 203. ABC Laboratories, Inc. 7200 E. ABC Lane Columbia, Missouri 65202
9.1.4. - Activated sludge respiration inhibition testing	
	Iishi Kaji, Noguchi (1981) Suishitsu Odaku Kengyu 4 (4) 197-203; Hoechst AG (1992): Information der Abt. Analytisches Laboratorium (11.08.1992)
	Tchobanoglous, G. And Burton, F., 1991. Wastewater Engineering: Treatment, Disposal, and Reuse. Third Edition. Metcalf & Eddy, Inc. McGraw-Hill Publishing Company
9.1.5. - Long-term toxicity testing on invertebrates (preferred species <i>Daphnia</i>)	
	Chandini.1987.Effects of Chronic Acid Stress on the Survivorship, Growth, and Reproduction of <i>Daphia Carinata</i> (Daphnidae) and <i>Echinsca Triserialis</i> (Macrothricidae)(Crustace: Cladocera).Ann Soc Roy Zool Belgique. 117(I):89-103
	Cipollaro M, Corsale G, Esposito A, Ragucci E, et al. 1986. Sublethal pH Decrease May Cause Genetic Damage to Eukaryotic Cell: A Study on Sea Urchins and <i>Salmonella typhimurium</i> . Teratogenesis, Carcinogenesis, and Mutagenesis 6:275-287
	McMahon, B.R., and Stuart, S.A. 1985. Hemolymph and tissue ion and acid-base balance in crayfish during chronic exposure to nitric acid. Am. Zool. 25(4), 48A.
	Rago PJ and Dorazio RM .1984. Statistical inference in life-table experiments: the finite rate of increase. Can. J. Fish. Aquat. Sci. 41: 1361-1374.
	Stuart, S.A., and McMahon, B.E. 1984. Acclimation to nitric acid exposure in the crayfish. In: Crayfish 6. Papers from the 6th International Symposium on Astacology, Lund, Sweden, 1984. AVI Press, Westport, Connecticut 1987.
	Zimmer, D. J.: 1987, Ann. Soc. Roy. Zool. Belgique 117, Suppl. I, 139.
	Walton WE, Compton SM, Allan JD, and Daniels RE.1981. The Effect of Acid Stress on Survivorship and reproduction of <i>Daphnia pulex</i> . Can.J.Zool.60:573-579
	Weber, A. and Pirow, R. 2009. Physiological response of <i>Daphnia pulex</i> to acid stress, BMC Physiology, 9:9.
9.1.6. - Long-term toxicity testing on fish	
	Satoh S, Porn-Ngam N, Takeuchi T, and Watanabe T (1993) Effect of Various Types of Phosphates on Zinc Availability to Rainbow Trout. Bull.Jpn.Soc.Sci.Fish.(Nippon Suisan Gakkaishi) 59(8):1395-1400.
	Brown, D.J.A. 1982. The influence of calcium on the survival of eggs and fry of brown trout (<i>Salmo trutta</i>) at pH 4.5. Bull. Envir. Contam. Toxicol., 28, 664-8.
	Brown, D.J.A., and Lyman, S. 1981. The effect of sodium and calcium concentrations on the survival of the yolk sac fry of brown trout. (<i>Salmo trutta</i> L.) at low pH. J. Fish Biol., 19, 205-211.
	Daye PG and Garside EG. 1977. Lower lethal levels of pH for embryos and alevins of Atlantic salmon <i>salmo salar</i> L. Can J Zool. 55: 1504-1508
	Diamond, J et al. 2005. Effects of pulsed contaminant exposures on early life stages of the fathead minnow. Arch Environ Contam Toxicol. 49(4): 511-519.

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
	Edwards, D.J., and Hjeldnes, S. 1977. Growth and survival of salmonids in water of different pH. SNSF Research Report FR 10/77, 1432 As-NLH, Norway, 27 pp.
	Jacobsen, O.J. 1977. Brown trout (<i>Salmo trutta</i> L.) growth at reduced pH. <i>Aquaculture</i> , 11, 81-4.
	Menendez, R. 1976. Chronic effects of reduced pH on brook trout (<i>Salvelinus fontinalis</i>). <i>J. Fish Res. Bd. Can.</i> , 33, 118-23.
	Rogers, D.W. 1984. Ambient pH and calcium concentration as modifiers of growth and calcium dynamics of brook trout, <i>Salvelinus fontinalis</i> . <i>Can. J. Fish Aquat. Sci.</i> , 41, 1774-80.
9.1.6.1 Fish early-life stage toxicity (FELS)	Menendez, R. 1976. Chronic effects of reduced pH on brook trout (<i>Salvelinus fontinalis</i>). <i>J. Fish Res. Bd. Can.</i> , 33, 118-23.
9.1.6.2 Fish short term toxicity test on embryo and fry-sac stages	Jagoe, C.H., Taines, T.A., and Kircheis, F.W. 1984. Effects of reduced pH on three life stages on sunpae char <i>Salvelinus alpinus</i> . <i>Bull. Envir. Contam. Toxicol.</i> , 33, 430-8.
9.1.6.3 Fish, juvenile growth test	Menendez, R. 1976. Chronic effects of reduced pH on brook trout (<i>Salvelinus fontinalis</i>). <i>J. Fish Res. Bd. Can.</i> , 33, 118-23.
9.3.2. - Bioaccumulation in aquatic species, preferably fish	
	National Industrial Chemicals Notification and Assessment Scheme (NICNAS), Commonwealth of Australia, Aklyl Phosphate Anti-Valve Seat Recession Additive, 2003. Cited in: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Inchon, Republic of Korea.
9.4. Effects on terrestrial organisms	
9.4.1. Short-term toxicity to invertebrates	
9.4.2. Effects on soil micro-organisms	
9.4.3. Short-term toxicity to plants	
	Chaurasia, LC et al., 1980. Mitotic effects of superphosphate on somatic cells of <i>Allium sativum</i> . <i>Sci Cult</i> 46: 150-152.
	Reynolds T (1975) pH Restraints on Lettuce Fruit Germination. <i>Ann.Bot.</i> 39:797-805
9.4.4. Long-term toxicity on invertebrates	
9.4.5	
9.4.6. Long-term toxicity testing on plants	
9.5.1. Long-term toxicity to sediment organisms	
9.6.1 - Long-term or reproductive toxicity to birds	
	Sterner RT. 1993. Whole-body exposures to a phosphoric acids aerosol: I. Spontaneous Activity Effects in Wild Rodent and Avian Species. <i>J Toxicol Environ Health.</i> Aug;39: 287-307. Sterner RT. 1993. Whole-body exposures to a phosphoric acids aerosol: II. Food/water/weight effects in wild rodent and avian species. <i>J Toxicol Environ Health.</i> Aug ;39(4):497-515.
Environmental Fate and Behaviour	
9.2 Degradation	
9.2.1. Biotic	
9.2.1.1. Ready biodegradability	
9.2.1.2. Simulation testing on ultimate biodegradation	
9.2.1.3. Soil simulation testing	
9.2.1.4. Sediment simulation testing	

Phosphoric Acid: Literature identified for REACH IUCLID dossier

Arcadis for IP Consortium 26/5/10

Endpoint	References
9.2.2. Abiotic	
9.2.2.1. Hydrolysis as a function of pH	
9.2.3. Identification of degradation products	
9.3. Fate and Behaviour in the Environment	
9.3.1. Adsorption/desorption screening	
	Bodek, I., W.J. Lyman, W.F. Reehl and D.H. Rosenblatt. 1988. Environmental Inorganic Chemistry. Pergamon Press, Elmsford, NY. As cited by U.S. EPA at www.scribd.com/doc/1800633/Environmental-Protection-Agency-appc
	RAVIKOVITCH, S., 1934. Anion Exchange: I. Adsorption of the Phosphoric Acid Ions By Soils. Soil Science: September 1934 - Volume 38 - Issue 3 - ppg 219-240.
	Fiskell, J.G.A, Mansell, R.S., Selim, H.M, and Martin, F.G., 1979. Kinetic Behaviour of Phosphate Sorption by Acid, Sandy Soil. J. Environ. Qual. , Vol. 8, no. 4,
	Imai, Tomizo and Tokunaga, Yoshiharu. Studies on Amelioration of Acid Soils: Changes of Phosphate Sorption by Different Fertilizer Treatments on Acid Reclaimed Soils.
	Higashi, Teruo and Shinagawa, Akio 1980. Phosphorus Sorption by Al(Fe)-Humus Complexes in Volcanic Ash Soils.Mem.Fac.Agr. Kagoshima Univ., 17, 253-258.
	McCallister, Dennis L., Logan, Terry J., 1978. Phosphate Adsorption-Desorption Characteristics of Soils and Bottom Sediments in the Maumee River Basin of Ohio. J.Environ. Qual., Vol 7, no. 1.
	TAKAYUKI, A, et al., 1998. Research on time course of phosphoric acid adsorption in volcanic ash soil. Nogyo Doboku Gakkai Taikai Koenkai Koen Yoshishu. PAGE.634-635 In Japanese
9.3.2 Bioaccumulation in aquatic species	
9.3.3. - Further information on adsorption/desorption	
	EPIWin Modeling Program. Meylan W and Howard P (1999) Syracuse Research Corporation. Environmental Science Center, 6225 Running Ridge Road, North Syracuse, NY 13212-2510; EPI Suite(TM) v3.10 Copyright 2000. Cited in: OECD HPV IUCLID dataset for phosphoric acid, National Institute of Environmental Research, Inchon, Republic of Korea.
9.3.4. Further information on the environmental fate and behaviour of the substance and/or degradation products	